# *CALPHAD*

## AUTHOR AND SUBJECT INDEX

## VOLUME 18 (1994)

PERGAMON

Pergamon

*Calphad* Vol. 18, No. 4, pp. 443–450, 1994
Copyright © 1994 Elsevier Science Ltd
Printed in Great Britain. All rights reserved
0364-5916/94 $7.00 + 0.00

0364-5916(94) 00026-3

# AUTHOR INDEX

## CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

## VOLUME 18 (1994)

**C. Bernard**
**Laboratoire de Thermodynamique et**
**Physico-Chimie Metallurgiques**
**ENSEEG, Domaine Universitaire, BP75,**
**38402 Saint Martin d'Hères Cedex, France**


| | |
|---|---|
| ANDERSON T. | 492 |
| ANGLEZIO J.C. | 498 |
| ANGLEZIO J.C. | 499 |
| ANSARA I. | 486 |
| ANSARA I. | 488 |
| ANSARA I. | 492 |
| ANSARA I. | 498 |
| ANSARA I. | 499 |
| ANSARA I. | 500 |
| ARGENT B.B. | 492 |
| BERNARD C. | 503 |
| BLOK J.G. | 496 |
| BUTT D.P. | 477 |
| CHART T.G. | 492 |
| CHATILLON C. | 492 |
| CLAVAGUERA N. | 489 |
| CLAVAGUERA-MORA M.T. | 489 |
| COMAS C. | 489 |
| COUGHANOWR C.A. | 488 |
| DELAEY | 485 |
| DELAEY L. | 483 |
| DELAEY L. | 493 |
| DINSDALE A.T. | 502 |
| DU S. | 505 |
| DUPIN N. | 500 |
| GALABOVA I.M. | 495 |
| GOUJARD S. | 503 |
| GRUJICIC M. | 484 |
| GUENEAU C. | 500 |
| HAJRA J.P. | 481 |
| HALLSTEDT B. | 480 |
| HARALAMPIEV G.A. | 495 |
| HILLERT M. | 480 |
| HILLERT M. | 492 |
| HOCH M. | 506 |
| HOWALD R.A. | 479 |
| ISHIDA K. | 492 |
| JIANRONG Y. | 491 |
| JIXIN W. | 497 |
| KJEBON O. | 505 |
| KLINGBEIL J. | 507 |
| KUMAR K.C.H. | 483 |
| KUMAR K.C.H. | 493 |
| KWON H.S. | 494 |
| LEE H.M. | 494 |
| LIM S.S. | 487 |
| LIN L. | 485 |
| LOPEZ D.O. | 504 |
| LOURDUDOSS S. | 505 |
| LUKAS H.L. | 488 |
| LUKAS H.L. | 492 |
| NISHIZAWA T. | 492 |
| OHTANI H. | 492 |
| OONK H.A.J. | 496 |
| OONK H.A.J. | 504 |
| REDDY S.R. | 481 |
| ROSSITER P.L. | 487 |
| SAXENA S.K. | 482 |
| SAXENA S.K. | 490 |
| SCHMID-FETZER R. | 507 |
| SCHNITTER J. | 478 |
| SCHUIJFF A. | 496 |
| SELLEBY M. | 480 |
| SELLEBY M. | 486 |
| SERVANT C. | 498 |
| SERVANT C. | 499 |
| SERVANT C. | 500 |
| SHI P. | 482 |
| SOH J.R. | 494 |
| SORENSON J.M. | 501 |
| SUNDMAN B. | 480 |
| SUNDMAN B. | 482 |
| SUNDMAN B. | 490 |
| SUNDMAN B. | 492 |
| SWAMY V. | 490 |
| TAMARIT J.L.L. | 504 |
| VAN BRAAK J. | 504 |
| VAN DER BIEST O. | 485 |
| VAN DER KEMP W.J.M. | 496 |
| VAN DER LINDE P.R. | 496 |
| VAN HECKE J.M. | 501 |
| VANDENBULCKE L. | 503 |
| VERDON M.L. | 496 |
| WALLACE T.C. | 477 |
| WATSON A. | 491 |
| WATSON A. | 492 |
| WOLLANTS P. | 483 |
| WOLLANTS P. | 485 |
| WOLLANTS P. | 493 |
| ZHANG Z. | 482 |

# SUBJECT INDEX

## CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

## VOLUME 18 (1994)

**C. Bernard**
**Laboratoire de Thermodynamique et**
**Physico-Chimie Metallurgiques**
**ENSEEG, Domaine Universitaire, BP75,**
**38402 Saint Martin d'Hères Cedex, France**

477
A simple method for calculating two-phase equilibria in ternary systems.
BUTT D.P., WALLACE T.C.
Calphad, (1994), vol.18, t.1, p.1-7.

478
The recognition of invariant equilibria in binary systems from isothermal sections through the phase diagrams.
SCHNITTER J.
Calphad, (1994), vol.18, t.1, p.9-20.

479
Interpolation in a non-ideal ternary: MgO-CaO-AlO1.5.
HOWALD R.A.
Calphad, (1994), vol.18, t.1, p.21-30.

480
Modelling acid and basic slags.
HALLSTEDT B., HILLERT M., SELLEBY M., SUNDMAN B.
Calphad, (1994), vol.18, t.1, p.31-37.

481
Thermodynamics and phase equilibria in the In-Sb system.
REDDY S.R., HAJRA J.P.
Calphad, (1994), vol.18, t.1, p.39-45.

482
Thermodynamics of the Ca-Mg-Fe-Al-Si-O pyroxenes: part I: theorical model and assessment of the Ca-Mg-Si-O system.
SHI P., SAXENA S.K., ZHANG Z., SUNDMAN B.
Calphad, (1994), vol.18, t.1, p.47-69.

483
Thermodynamic calculation of Nb-Ti-V phase diagram.
KUMAR K.C.H., WOLLANTS P., DELAEY L.
Calphad, (1994), vol.18, t.1, p.71-79.

484
An analysis of the isothermal isobaric chemical vapor infiltration of TiB2.
GRUJICIC M.
Calphad, (1994), vol.18, t.1, p.81-88.

485
A simple method for the calculation of equilibrium phase diagrams.
LIN L., WOLLANTS P., VAN DER BIEST O., DELAEY L.
Calphad, (1994), vol.18, t.1, p.89-98.

486
Thermodynamic analysis of the Ni-Ta system.
ANSARA I., SELLEBY M.
Calphad, (1994), vol.18, t.1, p.99-107.

487
CVM model calculation of the Al-Mg-Ag phase diagram.
LIM S.S., ROSSITER P.L.
Calphad, (1994), vol.18, t.2, p.113-123.

488
Assessment of the Cr-Si system.
COUGHANOWR C.A., ANSARA I., LUKAS H.L.
Calphad, (1994), vol.18, t.2, p.125-140

489
Calculation of the Tin-Tellurium system.
CLAVAGUERA-MORA M.T., COMAS C., CLAVAGUERA N.
Calphad, (1994), vol.18, t.2, p.141-155.

490
An assessment of the one-bar liquidus phase relations in the MgO-SiO2 system.
SWAMY V., SAXENA S.K., SUNDMAN B.
Calphad, (1994), vol.18, t.2, p.157-164.

491
An assessment of phase diagram and thermodynamic properties of the Gallium-Indium-Antimony system.
JIANRONG Y., WATSON A.
Calphad, (1994), vol.18, t.2, p.165-175.

492
A binary database for III-V compound semiconductor system.
ANSARA I., CHATILLON C., LUKAS H.L., NISHIZAWA T., OHTANI H., ISHIDA K., HILLERT M., SUNDMAN B., ARGENT B.B., WATSON A., CHART T.G., ANDERSON T.
Calphad, (1994), vol.18, t.2, p.177-222.

493
Thermodynamic reassessment and calculation of Fe-Ti phase diagram.
KUMAR K.C.H., WOLLANTS P., DELAEY L.
Calphad, (1994), vol.18, t.2, p.223-234.

494
Thermodynamic evaluation and phase diagram of PbO-TiO2 system.
SOH J.R., LEE H.M., KWON H.S.
Calphad, (1994), vol.18, t.3, p.237-244.

495
Evaluation of slag components' activity by thermodynamic data.
HARALAMPIEV G.A., GALABOVA I.M.
Calphad, (1994), vol.18, t.3, p.245-253.

496
Binary alkaline earth oxide mixtures: estimation of the excess thermodynamic properties and calculation of the phase diagrams.
VAN DER KEMP W.J.M., BLOK J.G., VAN DER LINDE P.R., OONK H.A.J., SCHUIJFF A., VERDONK M.L.
Calphad, (1994), vol.18, t.3, p.255-267.

497
Thermodynamic optimization for Al-La system.
JIXIN W.
Calphad, (1994), vol.18, t.3, p.269-272.

498
Contribution to the experimental and thermodynamic assessment of the Al-Ca-Fe-Si system. I: Al-Ca-Fe, Al-Ca-Si, Al-Fe-Si and Ca-Fe-Si :
ANGLEZIO J.C., SERVANT C., ANSARA I.
Calphad, (1994), vol.18, t.3, p.273-309.

499
A study of the Si-rich domain of the Al-Ca-Fe-Si quaternary system.
ANGLEZIO J.C., SERVANT C., ANSARA I.
Calphad, (1994), vol.18, t.3, p.311-318.

500

Thermodynamic assessment of the Si-Zr system.
GUENEAU C., SERVANT C., ANSARA I., DUPIN N.
Calphad, (1994), vol.18, t.3, p.319-327.

501
A simple method for equal gibbs energy analysis of phase boundaries.
SORENSON J.M., VAN HECKE G.R.
Calphad, (1994), vol.18, t.3, p.329-333.

502
Summary of the proceedings of the joint CALPHAD XXIII - CAMSE 94 meeting, 12-17 june 1994, Wisconsin, USA
DINSDALE A.T.
Calphad, (1994), vol.18, t.4, p.337-368.

503
Thermodynamic study of the chemical vapour deposition in the Si-B-C-H-Cl system.
GOUJARD S., VANDENBULCKE L., BERNARD C.
Calphad, (1994), vol.18, t.4, p.369-386.

504
Thermodynamic phase diagram analysis of three binary systems shared by five neopentane derivatives.
LOPEZ D.O., VAN BRAAK J., TAMARIT J.L.L., OONK H.A.J.
Calphad, (1994), vol.18, t.4, p.387-396.

505
Optimisation of interaction parameters for Ga(x)In(1-x)As(y)-P(1-y) solid solutions using gas-solid equilibrium data and a sublattice model.
LOURDUDOSS S., DU S., KJEBON O.
Calphad, (1994), vol.18, t.4, p.397-408.

506
Thermodynamics of aqueous and water-organic solutions of electrolytes from very dilute to saturated concentrations.
HOCH M.
Calphad, (1994), vol.18, t.4, p.409-428.

507
Phase equilibria in some In-As-Metal systems.
KLINGBEIL J., SCHMID-FETZER R.
Calphad, (1994), vol.18, t.4, p.429-440.

acid or basic slags: model 480
Ag-Al-Cu-Mg 502
Ag-Sb-Zn liquid 502
Al-C-Ti 502
Al-Ca-Fe-Si 498
Al-Ca-Fe-Si 499
Al-Cr-Ir-Si-Co 502
Al-Cu-Mg-Ag 502
Al-Fe-Si 502
Al-In-As-Pd 502
Al-La 497
Al-Mg 502
Al-O-Nb 502
Al-Sb 502
Al-Ti 502
Al-Ti-B 502
Al-V-Ti 502
alkaline earth oxide mixtures 496
AlO1.5-MgO-CaO 479
aqueous; water-organic solutions 506
As-Cu 502
As-Fe 502
As-Ga-Ni 502
As-metal-In 507
As-Pd-Al-In 502
Au-Sb-Zn liquid 502
B-Al-Ti 502
B-C-H-Cl-Si, CVD 503
B-Fe 502
B-Nd 502
Ba-Y-Cu 502
Bi-Cu-O 502
Bi-O 502
Bi-Sb-Pb-Sn 502
Bi-Sr-Ca-Cu-O 502
Bi2O3-SrO-CaO-CuO 502
C-H-Cl-Si-B, CVD 503
C-Ti-Al 502
C-U-Zr spreadsheet method 477
Ca-Cu-O-Bi-Sr 502
Ca-Cu-O-Sr 502
Ca-Fe-Si-Al 498
Ca-Fe-Si-Al 499
Ca-Mg-Si-O 482
calculation method 485
calculation method 501
CaO-AlO1.5-MgO 479
CaO-CuO-Bi2O3-SrO 502
Cl-Si-B-C-H, CVD 503
Co-Al-Cr-Ir-Si 502
Cr-Ir-Si-Co-Al 502
Cr-Si 488
Cu-As 502
Cu-Ba-Y 502
Cu-In-Pb 502
Cu-Mg-Ag-Al 502
Cu-O 502
Cu-O-Bi 502
Cu-O-Bi-Sr-Ca 502
Cu-O-Sr-Ca 502
Cu-Sb 502
Cu-Sb-Zn liquid 502
CuO-Bi2O3-SrO-CaO 502
CVM model 'Al-Mg-Ag' 487
Fe-As 502
Fe-B 502
Fe-Nd 502
Fe-Ni-O 502
Fe-Si-Al 502
Fe-Si-Al-Ca 498
Fe-Si-Al-Ca 499
Fe-Sn 502
Fe-Ti 493
first principle study 502
Ga(x)In(1-x)As(y)P(1-y) 505
Ga-In-Sn 491
Ga-Ni-As 502
H-Cl-Si-B-C, CVD 503
HfO2-Y2O3-MgO 502
III-V database 492
In-As-metal 507
In-As-Pd-Al 502
In-P-Metal 502
In-Pb-Cu 502
In-Sb 481
In-Sn-Ga 491
invariant equilibria 478
Ir-Si-Co-Al-Cr 502
La-Al 497
lattice stability V, Cr, Fe groups 502
metal-In-As 507
Metal-In-P 502
Mg-Ag-Al-Cu 502
Mg-Al 502
Mg-Si-O-Ca 482
MgO-CaO-AlO1.5 479
MgO-HfO2-Y2O3 502
MgO-SiO2 one-bar liquidus 490
monte carlo simulation 502
multiple magnetic states 502
Nb-Al-O 502
Nb-Ti-V 483
Nb-Y-O 502
Nd-B 502
Nd-Fe 502
neopentane derivatives 504
new databases 502
Ni-As-Ga 502
Ni-O-Fe 502
Ni-Si 502

Ni-Ta 486
O-Bi 502
O-Bi-Cu 502
O-Bi-Sr-Ca-Cu 502
O-Ca-Mg-Si 482
O-Cu 502
O-Fe-Ni 502
O-Nb-Al 502
O-Nb-Y 502
O-Sr-Ca-Cu 502
O-Ti-Y 502
P-Metal-In 502
Pb-Cu-In 502
Pb-Sn-Bi-Sb 502
PbO-SiO2 494
Pd-Al-In-As 502
rare earth-Mg 502
Sb-Al 502
Sb-Cu 502
Sb-In 481
Sb-Pb-Sn-Bi 502
Sb-Zn-Ag liquid 502
Sb-Zn-Au liquid 502
Sb-Zn-Cu liquid 502
Se-Te 502
Si-Al-Ca-Fe 498
Si-Al-Ca-Fe 499
Si-Al-Fe 502
Si-B-C-H-Cl, CVD 503
Si-Co-Al-Cr-Ir 502
Si-Cr 488
Si-Ni 502
Si-O-Ca-Mg 482
Si-Zr 500
Si-Zr 502
silicate melts 502
SiO2-MgO one-bar liquidus 490
SiO2-PbO 494
slag components activity 495
Sn-Bi-Sb-Pb 502
Sn-Fe 502
Sn-Ga-In 491
Sn-Te 489
Sr-Ca-Cu-O 502
Sr-Ca-Cu-O-Bi 502
SrO-CaO-CuO-Bi2O3 502
Ta-Ni 486
Te-Se 502
Te-Sn 489
Te-Zn 502
Ti-Al 502
Ti-Al-C 502
Ti-Al-V 502
Ti-B-Al 502
Ti-Fe 493
Ti-V-Nb 483
Ti-Y-O 502
TiB2: Chemical Vapor Infiltration 484
U-Zr-C spreadsheet method 477
V-Nb-Ti 483
V-Ti-Al 502
Y-Cu-Ba 502
Y-O-Nb 502
Y-O-Ti 502
Y2O3-MgO-HfO2 502
Zn-Ag-Sb liquid 502
Zn-Au-Sb liquid 502
Zn-Cu-Sb liquid 502
Zn-Te 502
Zr-C-U spreadsheet method 477
Zr-Si 500
Zr-Si 502